



SOUTHEAST MISSOURI
STATE UNIVERSITY · 1873

INVITATION FOR BID 5884 – Amendment #1

DELIVERY INSTRUCTIONS

TITLE: PASSENGER VANS
DATE: NOVEMBER 9, 2017
BUYER: HEATHER LESCH
BUYER
EMAIL: hmlesch@semo.edu
PHONE: (573) 651-2202

For USPS/FedEx/UPS, etc.
Bids must be mailed to:
Purchasing Department
Southeast Missouri State University
One University Plaza, Mail Stop 3280
Cape Girardeau, MO 63701

OR delivered by bidder to:
Purchasing Department
Academic Hall Room 200F
Normal Avenue
Cape Girardeau, MO 63701

BID MUST BE RECEIVED NO LATER THAN:

DATE: EXTENDED TO NOVEMBER 20, 2017
TIME: 3:30 P.M.

The notice of award is made subject to availability and appropriation of funds, and the selection of the lowest and best bidder is made in accordance with all applicable public procurement laws.

MUST BE SIGNED TO BE VALID

The bidder hereby agrees to furnish items and/or services, at the firm, fixed prices quoted, pursuant to all requirements and specifications contained herein, upon either the receipt of an authorized purchase order from the Purchasing Department or when this document is countersigned by the Purchasing Department as a binding contract, and further agrees that the language of this document shall govern in the event of a conflict with his or her bid.

AUTHORIZED SIGNATURE		PRINTED NAME/TITLE	
COMPANY NAME			CURRENT DATE
MAILING ADDRESS			TELEPHONE NUMBER/EXT.
CITY		STATE	ZIP CODE
CONTACT PERSON	CONTACT PERSON EMAIL ADDRESS		FACSIMILE NUMBER
DELIVERY DATE: _____ DAYS ARO, FOB DESTINATION PROMPT PAYMENT TERMS: _____% _____ DAYS NET _____ DAYS			
NOTICE OF AWARD (SOUTHEAST MISSOURI STATE UNIVERSITY USE ONLY)			
AUTHORIZED SIGNATURE FOR SOUTHEAST MISSOURI STATE UNIVERSITY			DATE

SOUTHEAST MISSOURI STATE UNIVERSITY
PASSENGER VANS
INVITATION FOR BID 5884

AMENDMENT #1

The bidder is hereby notified that Invitation for Bid 5884 is amended as follows:

1. Paragraph 2, pages 3-5 is hereby **changed** as indicated below:
 2. Passenger Van with Wheelchair Lift - must include and meet or exceed the below listed specifications. The van must be specifically manufactured for use with a wheelchair lift. In addition, the wheelchair lift must be specifically designed for use on the proposed passenger van.
 - Exterior Color: White with blue and grey striping decals
 - Interior Color: Grey Vinyl
 - 10 seats plus driver and co-pilot
 - Three (3) each wheelchair tie downs
 - 138" wheel base
 - 5.4L EFI V8 gasoline engine
 - Engine cooler
 - 4-speed Automatic Transmission with overdrive
 - Driveshaft guards
 - Gross Vehicle Weight Rating: approx. 11,500 lb.
 - Axle ration: 4.10 – 1
 - Heavy duty radiator
 - Dual rear wheels
 - All season radial tires
 - 4-wheel disc brakes and 4-wheel anti-lock brake system
 - Dual 600 cca batteries
 - 155 amp alternator
 - Front and rear shock absorbers
 - Front stabilizer bar
 - 40 gallon fuel tank
 - Automatic speed control and tilt wheel
 - Power Steering
 - **In-dash heater, defroster and air conditioner as well as heat and air in the rear of the vehicle**
 - Intermittent windshield wipers with electric washers
 - Coolant, temperature and oil pressure gauges
 - Voltmeter
 - Power windows and locks
 - Driver and co-pilot reclining seats with lap and shoulder belts and arm rest
 - Driver's storage console with cup holders and cell phone plug-in
 - Tinted windshield and front door glass

- Tilt wheel and cruise control
- In-dash clock stereo with front and rear speakers
- Fiberglass running boards for driver and co-pilot
- Passenger Privacy glass
- Driver and co-pilot sun-visors
- Driver and co-pilot air bags
- Front license plate bracket
- 75" interior headroom, approximately
- 80" interior width with 26" center aisle, approximately
- 84" exterior width excluding fender flares, approximately
- Integrated welded steel cage construction in roof, side, rear and floor
- Floor cross members of 13 gauge steel to run the entire width of the van
- Side-wall frame to be welded to the top side of floor cross members to prevent side-wall and floor from sagging
- Insulation in roof, sides and rear – minimum of 1"
- Steel reinforced aerodynamic top
- Exterior sidewall panels that are resistant to moisture, dents and cracks
- Steel reinforced fiberglass rear bumper
- Body to be completely undercoated
- Driver's dome light on separate switch from passenger
- Dome light for passengers
- Overhead switch panel and circuit control board mounted for easy access
- Electric entrance door for passengers, approximately 81" x 28", tinted, single leaf
- Two-step step-well for passengers, with step-well light
- Right hand and left hand steel rails at entrance steps for passenger assist
- Stainless steel stanchions and guard rails with padded modesty panels in front of passenger seats
- Durable sub-floor covering
- Vinyl upholstery on ceiling, side-walls and bulkheads, with carpeted side-walls below passenger windows
- Emergency exits
- Three (3) each wheelchair stations
- Four (4) each mid high ADA double passenger foldaway seats with upholstery on left hand side above wheelchair positions
- Two (2) each mid high single forward facing seats on right hand side
- All passenger seats to be track seating
- Retractable seat belts on all passenger seats
- Flip up arm rests on all aisle side seats
- Anti-vandal grab handles mounted on top of all passenger seats
- Right rear heavy duty double lift doors with gas props, upper windows, power door lock and recessed lift lights
- Wheelchair lift with fast idle and park interlock system, Braun or equal
- Three (3) each wheelchair restraint bags
- Three (3) each wheelchair restraints
- Applicable ADA signage
- High mount rear centered brake light
- Recessed LED for brake, tail, turn signal, clearance and marker lights
- Fire extinguisher, first aid kit and emergency roadside reflector kit must be included

- 2 The IFB opening date is hereby extended to November 20, 2017.
3. Bid opening time remains the same.
4. All other terms and conditions of Invitation for Bid 5884 remain the same.

If you have any questions regarding these changes, please contact Heather Lesch at 573-651-2202.

To acknowledge receipt of this amendment, the bidder should complete, sign, and return such with the bid response.